



## *Neglecting Medical Laboratory Tests: A Disaster in Healthcare*

**Johnkennedy Nnodim\* and Edward Ukamaka**

Department of Medical Laboratory Science, Imo State University, Owerri Nigeria

**Citation:** Nnodim Johnkennedy, Edward Ukamaka (2026) Neglecting Medical Laboratory Tests: A Disaster in Healthcare. *Int J. of Cli Drug Pract & Pharmaco.* 1(1), 1-3. WMJ/ IJCDPP-102

### **Abstract**

Medical laboratory testing is the foundation of modern medical practice. Accurate diagnosis, successful treatment, illness monitoring, and prevention efforts all rely significantly on dependable test results. When medical laboratory tests are overlooked or underutilized, the results can be disastrous for both individual patients and the healthcare system as a whole. Many underdeveloped healthcare systems, notably those in Africa, undervalue laboratory services, which leads to misdiagnosis, incorrect treatment, and preventable fatalities. As a result, failing to perform medical laboratory tests can be accurately regarded as a catastrophe in healthcare.

**\*Corresponding author:** Johnkennedy Nnodim Department of Medical Laboratory Science, Imo State University, Owerri Nigeria.

**Submitted:** 18.03.2026

**Accepted:** 23.03.2026

**Published:** 08.04.2026

**Keywords:** Medical Laboratory Tests, Neglect, Disaster, Healthcare

### **Introduction**

Medical laboratory tests play an important role in healthcare.

Medical laboratory tests provide objective scientific data that helps clinicians make informed medical decisions. Laboratory investigations assist to confirm clinical suspicions, detect diseases in their early stages, track treatment outcomes, and lead preventative activities. Clinical diagnosis may be imprecise without test confirmation because numerous diseases exhibit similar symptoms [1].

Symptoms such as fever, exhaustion, and headache may be linked to malaria, typhoid fever, viral infections, or other systemic disorders. Laboratory procedures such as blood microscopy, culture techniques, and molecular assays aid in the differentiation of various disorders and the selection of appropriate treatment. In the absence of laboratory testing, healthcare providers may resort to guesswork, which might result in patient mismanagement [2,3].

### **Consequences of Neglecting Lab Tests**

Neglecting laboratory testing has a wide range of neg-

ative repercussions for healthcare service. Misdiagnosis is one of the biggest consequences. When laboratory testing is not performed, doctors may make false diagnoses based purely on clinical symptoms. This frequently results in inappropriate therapy, which can exacerbate the patient's illness [4].

Another result is the overuse or abuse of pharmaceuticals, notably antibiotics and antimalarials. Empirical treatment without test confirmation adds to antibiotic resistance, which is a major global health concern. When antibiotics are used needlessly or inappropriately, microorganisms develop resistance, making diseases harder to treat [5]. Neglecting laboratory tests also increases the chance of major diseases not being diagnosed on time. Diabetes mellitus, HIV infection, malignancies, sickle cell disease, and renal problems are all common conditions that require laboratory testing for early detection. Failure to undertake these tests may result in a delayed diagnosis when the disease has progressed to advanced stages [6].

Furthermore, a lack of test confirmation might drive up healthcare expenditures. When patients are misdiagnosed, they may require multiple hospital visits, receive ineffective therapies, or develop consequences that necessitate more expensive medical care. As a result, failing to conduct laboratory tests places a burden on both patients and the healthcare system [7].

Beyond individual individuals, ignoring laboratory testing has major consequences for national health. Laboratory surveillance is critical for detecting disease outbreaks, tracking epidemics, and planning public health interventions. Without good laboratory data, health officials may be unable to detect emerging infectious diseases or respond effectively to epidemics [8].

For example, reliable laboratory diagnosis was critical during global health emergencies like the COVID-19 epidemic. Laboratory testing allowed health-care providers to identify sick individuals, track transmission patterns, and assess the efficacy of control efforts. It is extremely difficult to control infectious infections without laboratory support [9].

### Importance of Medical Laboratory Scientists.

Medical laboratory scientists are highly trained individuals who conduct and interpret laboratory studies. Their knowledge guarantees the precision and reliability of test results utilized in clinical decision-making. However, in some healthcare systems, the contributions of laboratory workers are frequently neglected.

Enhancing the function of medical laboratory scientists is critical for improving diagnostic services. Adequate staffing, current laboratory equipment, ongoing professional training, and integration of laboratory workers into clinical teams are all required to guarantee optimal healthcare delivery [10].

### Improving the utilization of laboratory services

To address the problem of neglected laboratory testing, several measures should be implemented. First, healthcare providers must be encouraged to adopt evidence-based medical practice, where clinical decisions are supported by laboratory findings. Second, hospitals and health institutions should invest in modern laboratory infrastructure to ensure the availability of reliable diagnostic services [11].

Public awareness is also important. Patients should understand the importance of laboratory tests and avoid self-medication without proper diagnosis. Additionally, governments and health policymakers should prioritize laboratory medicine as a key component of healthcare systems [12,13].

### Conclusion

Medical laboratory testing is indispensable for accurate diagnosis, effective treatment, and disease prevention. Neglecting laboratory investigations undermines the quality of healthcare and may lead to misdiagnosis, inappropriate treatment, increased healthcare costs, and public health crises. Therefore, laboratory medicine must be recognized as a critical pillar of healthcare delivery. Strengthening laboratory services and ensuring their proper utilization will significantly improve patient outcomes and enhance the overall efficiency of health systems.

### References

1. Plebani M (2015) 'Diagnostic errors and laboratory medicine causes and strategies', *Clinica Chimica Acta* 404: 66-74.
2. World Health Organization (2019) *Essential Di-*

- agnostics List. Geneva: WHO.
3. Petti CA, Polage CR, Quinn TC (2006) 'Laboratory medicine in Africa', *American Journal of Clinical Pathology* 126: 617-623.
  4. Nkengasong JN, Nsubuga P, Nwanyanwu O, Guy-Michel Gershy-Damet, Giorgio Roscigno, et al. (2010) 'Laboratory systems and services in Africa', *American Journal of Clinical Pathology* 134: 368-373
  5. Lippi G, Chance JJ, Church S, Paola Dazzi, Rossana Fontana, et al. (2011) 'Preanalytical quality improvement: from dream to reality', *Clinical Chemistry and Laboratory Medicine* 49: 1113-1126.
  6. Plebani M (2006) 'Errors in clinical laboratories or errors in laboratory medicine?', *Clinical Chemistry and Laboratory Medicine* 44:750-759.
  7. Bates DW and Singh H (2018) 'Two decades since To Err Is Human', *New England Journal of Medicine* 379: 1193-1199.
  8. Graber ML (2013) 'The incidence of diagnostic error in medicine', *BMJ Quality & Safety* 22: ii21-ii27.
  9. Singh H, Meyer AN and Thomas EJ (2014) 'The frequency of diagnostic errors in outpatient care', *BMJ Quality & Safety* 23: 727-731.
  10. Schiff GD, Hasan O, Kim S (2009) 'Diagnostic error in medicine: analysis of 583 physician-reported errors', *Archives of Internal Medicine* 169: 1881-1887.
  11. Epner PL, Gans JE and Graber ML (2013) 'When diagnostic testing leads to harm', *BMJ Quality & Safety* 22: ii6-ii10.
  12. Plebani M (2009) 'Exploring the iceberg of errors in laboratory medicine', *Clinica Chimica Acta* 404:16-23.
  13. Hawkins R (2012) 'Managing the pre- and post-analytical phases of the total testing process', *Annals of Laboratory Medicine* 32: 5-16.