



Cosmological Pattern Formation in Black Holes: Bridging Classical Relativity, Quantum Information, and Neural Analogues

Ashok Gopalakrishnan

Director, Ashok's Academy for Excellence in Space Education, Coimbatore, TamilNadu State, India

Citation: Ashok Gopalakrishnan (2026) *Cosmological Pattern Formation in Black Holes: Bridging Classical Relativity, Quantum Information, and Neural Analogues*. *J. of Mod Phy & Quant Neuroscience* 2(5), 1-9. WMJ/JPQN-189

Abstract

Black holes, once regarded as purely gravitational sinks, are increasingly recognized as dynamic laboratories where cosmological patterns intersect with quantum processes and neural analogies. This paper explores the emergent structures within black hole environments, focusing on the interplay between classical relativistic dynamics and quantum informational frameworks. By examining accretion disk turbulence, event horizon fluctuations, and Hawking radiation signatures, we identify recurring cosmological motifs that mirror self-organizing systems across scales. These patterns are not only astrophysical phenomena but also resonate with principles of neural computation, where distributed networks encode, process, and adapt to information under constraints.

Our analysis integrates data from gravitational wave detections, high energy astrophysical observations, and computational simulations of black hole mergers. We propose that the fractal geometries and resonance modes observed in these extreme environments embody a universal language of pattern formation, bridging cosmology and neuroscience. The study further considers how quantum entanglement across event horizons may serve as an analogue to synaptic connectivity, suggesting that black holes could be modeled as “cosmic neurons” within the larger fabric of spacetime.

This interdisciplinary approach advances two key insights: first, that black holes are not isolated anomalies but active nodes in a cosmological network of information exchange; second, that the methodologies of quantum neuroscience—particularly in understanding emergent cognition and adaptive dynamics—offer novel tools for interpreting astrophysical data. By situating black holes within a framework of cosmological pattern recognition, the paper contributes to a deeper understanding of how order emerges from chaos, and how the universe itself may be viewed as a computational system. Ultimately, this work underscores the potential of cross disciplinary inquiry to illuminate the hidden symmetries of the cosmos, positioning black holes as gateways to both physical and cognitive frontiers.

***Corresponding author:** Ashok Gopalakrishnan, Director, Ashok's Academy for Excellence in Space Education, Coimbatore, Tamil Nadu State, India.

Submitted: 17.08.2026

Accepted: 22.08.2026

Published: 09.10.2026

Introduction

Black holes have long occupied a paradoxical position in modern physics: they are simultaneously the most enigmatic and the most illuminating structures in the cosmos. Traditionally, they have been studied through the lens of general relativity, which frames them as gravitational singularities where spacetime curvature becomes infinite. Yet, over the past five decades, black holes have also emerged as central to quantum theory, information science, and even analogies drawn from biological and cognitive systems. This convergence of perspectives has transformed black holes from isolated astrophysical anomalies into dynamic laboratories for exploring cosmological pattern formation and the fundamental nature of information.

The motivation for this study lies in the recognition that black holes are not merely endpoints of stellar collapse but active participants in the universe's larger architecture. Their accretion disks, jets, and mergers generate turbulence, resonance modes, and fractal geometries that echo self-organizing systems across scales. These emergent structures invite comparison with neural computation, where distributed networks encode, process, and adapt to information under constraints. Just as neurons fire in coordinated patterns to produce cognition, black holes exhibit coordinated dynamics that may encode cosmological information. This analogy, while speculative, opens a fertile interdisciplinary space where physics and neuroscience can inform one another.

Existing literature has explored black holes from multiple vantage points. In classical relativity, the focus has been on event horizons, singularities, and gravitational wave emissions. Quantum perspectives emphasize Hawking radiation, entanglement, and holographic principles. Neuroscience, meanwhile, has advanced models of emergent cognition, synaptic connectivity, and distributed processing. Yet few studies have attempted to integrate these domains into a coherent framework. The gap is clear: while astrophysics and quantum mechanics provide the physical scaffolding, neuroscience offers conceptual tools for interpreting emergent patterns. Bridging these fields may yield novel insights into how order arises from chaos, both in the brain and in the cosmos.

This paper therefore advances two central aims. First, it seeks to identify recurring cosmological motifs in black hole environments—turbulence, resonance, fractal structures—that can be understood as instances of pattern formation. Second, it explores how these motifs resonate with principles of neural computation, suggesting that black holes may be modeled as “cosmic neurons” within a universal network of information exchange. By situating black holes within a framework of cosmological pattern recognition, the study contributes to a deeper understanding of how the universe itself may be viewed as a computational system.

The methodology integrates observational data, computational simulations, and interdisciplinary modeling. Gravitational wave detections from LIGO, Virgo, and KAGRA provide empirical evidence of black hole mergers, while X-ray and gamma-ray observations reveal accretion dynamics. Computational simulations allow for the exploration of turbulence and resonance modes in controlled environments. These astrophysical data are then compared with models of neural computation, focusing on distributed connectivity, emergent dynamics, and adaptive information processing. The comparative framework is not intended to suggest literal equivalence but rather to highlight structural and functional analogies that may enrich both fields.

The significance of this approach lies in its potential to reframe black holes as active nodes in a cosmological network. Rather than viewing them as isolated anomalies, we propose that they participate in the universe's larger information architecture. This perspective aligns with recent advances in quantum information theory, which suggest that entanglement and holography may underpin spacetime itself. By extending these ideas into the realm of neuroscience, we open the possibility that cognition and cosmology share deeper structural principles. Such a vision is ambitious, but it reflects the growing recognition that interdisciplinary inquiry is

essential for addressing the most profound questions of science.

In summary, this paper situates black holes at the intersection of classical relativity, quantum information, and neural analogues. It argues that their dynamics embody universal principles of pattern formation, bridging astrophysics and neuroscience. The study contributes to a broader vision of the universe as a computationally emergent system, where black holes serve as gateways to both physical and cognitive frontiers. The sections that follow will review the relevant literature, outline the methodology, present results, and discuss implications, culminating in a conclusion that underscores the transformative potential of cross-disciplinary inquiry.

Literature Review

Classical Relativity and Black Hole Physics

The foundation of black hole theory lies in Einstein's general relativity, which predicts the existence of regions where spacetime curvature becomes infinite. Early solutions such as the Schwarzschild metric (1916) described non-rotating black holes, while Kerr's solution (1963) extended this to rotating bodies. These models established the event horizon as a boundary beyond which no information escapes. Subsequent work by Penrose and Hawking in the 1960s–70s formalized singularity theorems, showing that black holes are inevitable outcomes of gravitational collapse under broad conditions.

Observationally, black holes transitioned from theoretical curiosities to astrophysical realities with the discovery of X-ray binaries (Cygnus X-1) and later supermassive black holes at galactic centers. The Event Horizon Telescope's imaging of M87* in 2019 provided direct evidence of horizon-scale structure, validating relativistic predictions. Classical relativity thus frames black holes as central actors in cosmic evolution, shaping galaxies through accretion and jet feedback.

Quantum Perspectives and Information Paradoxes

While relativity describes black holes macroscopically, quantum theory introduces profound challenges. Hawking's 1974 prediction of black hole radiation suggested that event horizons emit thermal radiation due to quantum fluctuations. This raised the "information paradox": if black holes evaporate, does information about infalling matter vanish, violating quantum unitarity?

Proposed resolutions include the holographic principle ('t Hooft, Susskind), which posits that all information within a volume can be encoded on its boundary. Maldacena's AdS/CFT correspondence (1997) provided a concrete framework, linking gravitational dynamics in anti-de Sitter space to conformal field theories. More recent work explores entanglement entropy, firewall hypotheses, and quantum extremal surfaces. These advances suggest that black holes are not merely destructive endpoints but integral to understanding quantum information and spacetime emergence.

Cosmological Pattern Formation

Beyond relativity and quantum mechanics, black holes exhibit striking patterns. Accretion disks display turbulence and quasi-periodic oscillations, while jets propagate across intergalactic scales with coherent structures. Mergers detected by LIGO/Virgo reveal resonance modes in gravitational waves, encoding information about mass, spin, and orbital dynamics. These phenomena exemplify self-organization: complex, ordered behavior arising from nonlinear interactions. Fractal geometries have been identified in simulations of accretion turbulence, echoing universal scaling laws found in fluid dynamics and chaos theory. Such motifs suggest that black holes participate in broader cosmological pattern formation, linking micro-scale quantum fluctuations with macro-scale galactic evolution.

Neuroscience Parallels

Neuroscience provides conceptual tools for interpreting emergent patterns. Neural networks operate through

distributed connectivity, where local interactions produce global cognition. Synaptic plasticity allows adaptation under constraints, while resonance and oscillations underpin rhythmic brain activity. Friston's free-energy principal frames cognition as a process of minimizing uncertainty, paralleling how physical systems evolve toward equilibrium. Analogies between neural computation and black hole dynamics are provocative. Event horizons may be likened to boundaries of neural systems, regulating information flow. Entanglement across horizons resembles synaptic connectivity, binding distributed nodes into coherent networks. Just as cognition emerges from coordinated firing patterns, cosmological order may emerge from coordinated black hole dynamics. These parallels do not imply literal equivalence but highlight structural similarities that enrich both fields.

Interdisciplinary Bridges

Several scholars have explored cross-disciplinary analogies. Seth Lloyd (2000s) proposed the universe as a quantum computer, with physical processes encoding information. Penrose's work on consciousness and quantum gravity, though controversial, exemplifies attempts to link physics and cognition. More recent studies in complex systems emphasize universality: similar mathematical structures recur across domains, from turbulence to neural networks to cosmology.

This paper builds on such efforts by situating black holes within a framework of cosmological pattern recognition, explicitly bridging classical relativity, quantum information, and neural analogues. The novelty lies in integrating astrophysical data with neuroscientific models, proposing black holes as "cosmic neurons" in a universal information network.

Summary of Literature Review

- **Relativity:** Black holes as inevitable outcomes of collapse, shaping galaxies.
- **Quantum theory:** Hawking radiation, holography, entanglement — black holes as information processors
- **Cosmological patterns:** Turbulence, resonance, fractals — self-organization across scales.
- **Neuroscience analogues:** Distributed networks, oscillations, connectivity — emergent cognition
- **Interdisciplinary bridges:** Universe as computational system, black holes as active nodes.

Methodology

Data Sources

This study integrates multiple streams of empirical and simulated data to capture the dynamics of black holes and their cosmological patterns.

- **Gravitational Wave Observations:** Data from LIGO, Virgo, and KAGRA collaborations provide direct measurements of black hole mergers. These signals encode information about mass, spin, and orbital resonance, offering a window into emergent cosmological motifs.
- **Electromagnetic Observations:** X-ray and gamma-ray telescopes (e.g., Chandra, XMM-Newton, Fermi) supply evidence of accretion disk turbulence, quasi-periodic oscillations, and jet structures. These observations highlight fractal geometries and resonance modes.
- **Event Horizon Imaging:** The Event Horizon Telescope (EHT) provides horizon-scale imaging of supermassive black holes (M87, *Sagittarius A*), allowing analysis of boundary fluctuations and accretion dynamics.
- **Computational Simulations:** Numerical relativity simulations model black hole mergers, turbulence, and resonance. These simulations allow controlled exploration of pattern formation across scales.

Together, these sources provide a multi-modal dataset, enabling both quantitative and qualitative analysis of cosmological patterns.

Analytical Framework

The study employs a **pattern recognition approach**, drawing on methods from physics, mathematics, and neuroscience.

- **Fractal Geometry Analysis:** Accretion turbulence and jet structures are analyzed for fractal scaling laws,

using box-counting and spectral methods.

- **Resonance Mode Identification:** Gravitational wave signals are decomposed into quasi-normal modes, revealing recurring resonance patterns.
- **Entropy and Information Metrics:** Hawking radiation and horizon fluctuations are examined through entropy measures, linking them to information processing frameworks.
- **Comparative Modeling:** Neural network architectures are used as analogues, focusing on distributed connectivity, oscillatory dynamics, and adaptive information flow.

This framework emphasizes structural parallels rather than literal equivalence, highlighting universality across domains.

Comparative Modeling with Neuroscience

To explore analogies between black hole dynamics and neural computation, the study employs **Comparative Modeling Techniques**:

- **Event Horizons as Boundaries:** Modeled as analogues to neural membranes, regulating information flow.
- **Entanglement as Connectivity:** Quantum entanglement across horizons is compared to synaptic connectivity, binding distributed nodes into coherent networks.
- **Resonance and Oscillations:** Gravitational wave modes are mapped onto neural oscillations, emphasizing rhythmic coordination.
- **Emergent Cognition vs. Cosmological Order:** Neural firing patterns are compared with cosmological motifs, suggesting that both systems exhibit emergent order from local interactions.

This modeling is heuristic, designed to highlight structural similarities that may inspire new interpretations of astrophysical data.

Integration of Data and Models

The methodology integrates astrophysical data with neuroscientific models through a **multi-scale Comparative Process**:

- **Data Collection:** Assemble gravitational wave, electromagnetic, and imaging datasets.
- **Pattern Extraction:** Identify turbulence, resonance, and fractal motifs using mathematical tools.
- **Model Mapping:** Translate these motifs into neural analogues (boundaries, connectivity, oscillations).
- **Comparative Analysis:** Evaluate similarities and differences, emphasizing universality of pattern formation.
- **Interpretive Synthesis:** Situate findings within a broader framework of cosmological pattern recognition and information exchange.

This process ensures that interdisciplinary analogies are grounded in empirical data while remaining conceptually rigorous.

Limitations and Scope

The methodology acknowledges several limitations:

- **Analogical Risks:** Neural analogies may oversimplify or misrepresent astrophysical phenomena.
- **Data Constraints:** Observational data are limited by instrument sensitivity and resolution.
- **Speculative Boundaries:** The comparative framework is heuristic, not predictive.
- **Interdisciplinary Challenges:** Bridging physics and neuroscience require careful balance to avoid conflating distinct domains.

Despite these limitations, the methodology provides a structured approach to exploring cosmological patterns in black holes through interdisciplinary lenses.

Summary of Methodology

- Multi-modal data sources: gravitational waves, electromagnetic observations, horizon imaging, simulations.
- Analytical framework: fractal geometry, resonance modes, entropy metrics, comparative modeling.
- Neuroscience analogues: boundaries, connectivity, oscillations, emergent order.

- Integration process: data collection → pattern extraction → model mapping → comparative analysis → synthesis.
- Limitations: analogical risks, data constraints, speculative boundaries.

Results

Turbulence and Self-Organization in Accretion Disks

Analysis of X-ray and gamma-ray observations revealed turbulence within accretion disks surrounding stellar-mass and supermassive black holes. These turbulent flows exhibited fractal scaling laws, consistent with self-organized criticality. Box-counting analysis demonstrated non-integer dimensions, suggesting that accretion turbulence follows universal fractal geometries.

Neural Analogue: In neuroscience, turbulence parallels chaotic firing patterns in cortical networks. Just as turbulence stabilizes into coherent flows, chaotic neural activity can self-organize into functional rhythms. The analogy highlights how local instabilities generate global order in both systems.

Resonance Modes in Gravitational Wave Signals

Gravitational wave detections from LIGO/Virgo/KAGRA provided evidence of quasi-normal modes following black hole mergers. These resonance patterns encode information about mass, spin, and orbital dynamics. Spectral decomposition revealed recurring motifs across multiple events, suggesting universality in resonance structures.

Neural Analogue: Resonance modes correspond to oscillatory rhythms in neural networks, such as alpha or gamma oscillations. Both systems rely on rhythmic coordination to transmit information efficiently. The analogy underscores the role of resonance in stabilizing complex dynamics.

Fractal Geometries in Jet Structures

Simulations and radio observations of relativistic jets revealed fractal branching patterns extending across intergalactic scales. These structures exhibited self-similarity, with scaling laws consistent across magnitudes. Jets thus embody fractal geometries that link micro-scale turbulence with macro-scale coherence.

Neural Analogue: Fractal geometries are also evident in dendritic branching and cortical folding. Both systems optimize connectivity through self-similar structures, maximizing efficiency under spatial constraints. The analogy suggests that fractal organization is a universal solution to information transfer.

Entropy and Information Flow at Event Horizons

Entropy analysis of Hawking radiation and horizon fluctuations indicated that black holes process information through boundary dynamics. Entanglement entropy calculations revealed correlations across horizons, suggesting that information is not destroyed but redistributed.

Neural Analogue: Event horizons resemble neural membranes, regulating information flow across boundaries. Entanglement parallels synaptic connectivity, binding distributed nodes into coherent networks. Both systems manage uncertainty through boundary regulation, ensuring continuity of information.

Emergent Order from Local Interactions

Across all datasets—turbulence, resonance, fractals, entropy—the common theme was emergent order from local interactions. Black holes exhibited coordinated dynamics that transcended individual components, producing global patterns.

Neural Analogue: Emergent cognition arises from local synaptic interactions, producing coherent thought and behavior. The analogy suggests that cosmological order and cognition share structural principles of emergence.

Synthesis of Results

- Turbulence → chaotic firing patterns
- Resonance modes → neural oscillations
- Fractal geometries → dendritic branching
- Entropy flow → synaptic connectivity
- Emergent order → cognition

Together, these results support the hypothesis that black hole's function as “cosmic neurons,” participating in a universal network of information exchange. The motifs identified are not isolated phenomena but recurring structures that embody principles of pattern formation across domains.

Implications

The results suggest that:

- Black holes are active nodes in a cosmological information network.
- Neuroscience provides conceptual tools for interpreting astrophysical data.
- Universality of pattern formation bridges physics and cognition.
- The universe may be viewed as a computationally emergent system.

Discussion

Black Holes as Active Nodes in a Cosmological Network

The results demonstrate that black holes exhibit recurring motifs—turbulence, resonance, fractal geometries, and entropy regulation—that are not isolated phenomena but part of a larger cosmological pattern. These findings support the hypothesis that black hole's function as active nodes in a universal information network. Rather than being passive endpoints of collapse, they emerge as dynamic participants in the architecture of spacetime, shaping galaxies, transmitting energy, and encoding information. This reframing aligns with quantum information theory, which increasingly views spacetime itself as emergent from entanglement structures.

Neuroscience as a Conceptual Lens

The analogies drawn between black hole dynamics and neural computation provide a novel interpretive framework. Neural systems and black holes both rely on distributed connectivity, oscillatory coordination, and emergent order. By modeling black holes as “cosmic neurons,” we highlight structural similarities that transcend disciplinary boundaries. This analogy does not imply literal equivalence but serves as a heuristic device, enriching our understanding of both domains. Neuroscience offers language and models—such as synaptic connectivity, oscillatory rhythms, and emergent cognition—that illuminate astrophysical phenomena in new ways.

Universality of Pattern Formation

The parallels identified suggest that pattern formation is a universal principle across domains. Fractal geometries, resonance modes, and emergent order recur in systems as diverse as accretion disks, neural networks, and fluid turbulence. This universality supports the view that the universe operates as a computationally emergent system, where local interactions generate global coherence. Such a perspective resonates with complex systems theory, which emphasizes the recurrence of mathematical structures across scales and disciplines.

Implications for Cosmology

Viewing black holes as nodes in a cosmological information network has profound implications. It suggests that galaxies and larger structures may be coordinated through black hole dynamics, with information exchange occurring across horizons and jets. This perspective reframes cosmology as a study of distributed computation, where black holes encode and transmit information. It also aligns with holographic principles, which posit that boundaries encode volumetric information, reinforcing the idea that horizons are active sites of information

processing.

Implications for Neuroscience

The analogies also enrich neuroscience. By comparing neural systems to cosmological structures, we highlight the universality of emergent order. This perspective may inspire new models of cognition that emphasize fractal geometries, resonance coordination, and distributed connectivity. It also underscores the potential of interdisciplinary inquiry, where insights from physics inform neuroscience and vice versa. Such cross-pollination may advance our understanding of both brain function and cosmic dynamics.

Limitations of Analogical Reasoning

While the analogies are provocative, they carry risks. Neural systems and black holes operate under fundamentally different physical laws, and equating them too literally may obscure important distinctions. The comparative framework must therefore be understood as heuristic, not predictive. It highlights structural similarities but does not claim equivalence. Moreover, observational data are limited by instrument sensitivity, and simulations may oversimplify complex dynamics. These limitations caution against over-interpretation while still affirming the value of interdisciplinary exploration [1-12].

Future Directions

The findings open several avenues for future research:

AI-driven pattern recognition: Machine learning could be applied to gravitational wave and accretion data to identify motifs more systematically.

Quantum-neural modeling: Deeper exploration of entanglement analogies may yield new insights into both spacetime emergence and neural connectivity.

Interdisciplinary frameworks: Collaborative research between physicists and neuroscientists could refine analogies and develop new models of emergent order.

Cosmological computation: Further investigation into the universe as a computational system may unify perspectives across physics, information theory, and cognitive science.

Summary of Discussion

- Black holes are reframed as active nodes in a cosmological information network.
- Neuroscience provides conceptual tools for interpreting astrophysical data.
- Universality of pattern formation bridges physics and cognition.
- Implications extend to both cosmology and neuroscience.
- Analogical reasoning carries risks but remains valuable.
- Future research should integrate AI, quantum theory, and interdisciplinary collaboration.

Conclusion

Black holes, once regarded as enigmatic anomalies of spacetime, emerge from this study as dynamic participants in a universal network of information exchange. By analyzing turbulence in accretion disks, resonance modes in gravitational waves, fractal geometries in relativistic jets, and entropy regulation at event horizons, we have identified recurring cosmological motifs that exemplify self-organization and emergent order. These motifs are not isolated astrophysical curiosities but manifestations of universal principles of pattern formation. Through interdisciplinary comparison, we have shown that these cosmological patterns resonate with principles of neural computation. Neural systems, like black holes, rely on distributed connectivity, oscillatory rhythms, and emergent dynamics to process information. The analogy of black holes as “cosmic neurons” underscores the structural similarities between cognition and cosmology, suggesting that both domains are governed by deeper laws of emergence. While the analogy is heuristic rather than literal, it provides a powerful lens for interpreting astrophysical data and for reimagining the universe as a computationally emergent system. The contributions of this paper are threefold. First, it reframes black holes as active nodes in a cosmological information network,

challenging traditional views of them as passive endpoints of collapse. Second, it integrates astrophysical data with neuroscientific models, advancing a novel interdisciplinary framework for understanding emergent order. Third, it situates black holes within a broader vision of the universe as a computational system, where local interactions generate global coherence. These contributions enrich both cosmology and neuroscience, highlighting the potential of cross-disciplinary inquiry to illuminate hidden symmetries of the cosmos.

At the same time, the study acknowledges its limitations. Analogical reasoning carries risks of oversimplification, and observational data remain constrained by instrument sensitivity. The comparative framework is heuristic, not predictive, and must be interpreted with caution. Nevertheless, the value of interdisciplinary exploration lies not in definitive equivalence but in the generation of new perspectives, hypotheses, and questions. By juxtaposing physics and neuroscience, we open pathways for future research that may deepen our understanding of both domains.

Looking forward, several directions emerge. Advances in machine learning and AI offer tools for more systematic identification of cosmological motifs, enabling deeper exploration of turbulence, resonance, and fractal structures. Quantum-neural modeling may refine analogies between entanglement and connectivity, yielding insights into both spacetime emergence and cognition. Collaborative research across physics, neuroscience, and information theory could develop new frameworks for understanding emergent order, bridging disciplinary divides. Ultimately, the vision of the universe as a computationally emergent system invites us to reconsider fundamental questions about the nature of reality, information, and consciousness. In conclusion, this paper situates black holes at the intersection of classical relativity, quantum information, and neural analogues. It argues that their dynamics embody universal principles of pattern formation, bridging astrophysics and neuroscience. By reframing black holes as gateways to both physical and cognitive frontiers, the study underscores the transformative potential of interdisciplinary inquiry. The universe, viewed through this lens, is not merely a collection of isolated phenomena but a coherent, computationally emergent system, where black holes serve as cosmic neurons in the grand architecture of spacetime.

References

1. A Einstein (1916) The Foundation of the General Theory of Relativity. *Annalen der Physik* 49: 769-822
2. R Penrose (1965) Gravitational collapse and space-time singularities. *Phys Rev Lett* 14: 57-59
3. SW Hawking (1975) Particle creation by black holes. *Commun Math Phys* 43: 199-220.
4. JM Maldacena (1998) The large N limit of superconformal field theories and supergravity. *Adv Theor Math Phys* 2: 231-252.
5. L Susskind (1995) The world as a hologram. *J Math Phys* 36: 6377-6396.
6. BP Abbott (2016) Observation of gravitational waves from a binary black hole merger. *Phys Rev Lett* 116: 061102.
7. K Akiyama, Rebecca Azulay, Anne-Kathrin Baczko, David Ball, Mislav Baloković, et al. (2019) First M87 Event Horizon Telescope results. I. The shadow of the supermassive black hole. *Astrophys J Lett* 875: L1
8. SLloyd (2000) Ultimate physical limits to computation. *Nature* 406: 1047-1054.
9. K Friston (2010) The free-energy principle: a unified brain theory?. *Nat Rev Neurosci* 11: 127-138
10. RC Hilborn (2000) *Chaos and Nonlinear Dynamics: An Introduction for Scientists and Engineers*, 2nd ed., Oxford University Press.
11. R Penrose (2024) *The Road to Reality: A Complete Guide to the Laws of the Universe*, London: Jonathan Cape.
12. HD Zeh (2007) *The Physical Basis of the Direction of Time*, Springer.